

Wildlife Habitat (MN)

Houston County, Minnesota

[Absence of an entry indicates that data were not estimated]

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 8A: Sparta | 90 | Fair | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 11C: Sogn | 90 | Very poor | Very poor | Poor | Very poor | Very poor | Very poor | Very poor | Very poor | Very poor | Very poor |
| 16: Arenzville, occasionally flooded | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Newalbin | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18: Comfrey, occasionally flooded | 85 | Fair | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| 25: Becker, rarely flooded | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Good |
| 27B: Dickinson | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 76A: Bertrand | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 76B: Bertrand | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 79B: Billett | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 79C: Billett | 85 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 81F: Boone, rocky | 90 | Very poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| 103A: Seaton | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 103B: Seaton | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 103C2: Seaton, eroded | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 103D2: Seaton, eroded | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 131B: Massbach | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| Poorly drained soils | 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 131C: Massbach | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 131C: Poorly drained soils | 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 136: Madelia | 90 | Good | Good | Good | Good | Fair | Good | Good | Good | Fair | Good |
| 143E2: Eleva, eroded | 85 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 143F: Eleva | 90 | Poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 177B: Gotham | 90 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 194: Huntsville, occasionally flooded | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Newalbin | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Comfrey | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 216B: Lamont | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 244B: Lilah | 90 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 250: | | | | | | | | | | | |
| Kennebec, occasionally flooded | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Colo | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Moundprairie | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 273: | | | | | | | | | | | |
| Muscatine | 90 | Good | Good | Good | Good | Good | Fair | Fair | Good | Good | Fair |
| Madelia | 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 283B: | | | | | | | | | | | |
| Plainfield | 90 | Poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| 283C: | | | | | | | | | | | |
| Plainfield | 90 | Very poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| 283D: | | | | | | | | | | | |
| Plainfield | 90 | Very poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| 283F: | | | | | | | | | | | |
| Plainfield | 90 | Very poor | Poor | Fair | Poor | Poor | Very poor | Very poor | Poor | Poor | Very poor |
| 285A: | | | | | | | | | | | |
| Port Byron | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 285B: Port Byron | 90 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 285C: Port Byron | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 298: Richwood | 90 | Good | Good | Good | Fair | Fair | Poor | Very poor | Good | Fair | Very poor |
| 301B: Lindstrom | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 301C: Lindstrom | 85 | Fair | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 312B: Shullsburg | 90 | Good | Good | Fair | Fair | Good | Good | Fair | Good | Fair | Fair |
| PD soils | 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 312C: Shullsburg | 90 | Fair | Good | Fair | Fair | Good | Poor | Very poor | Fair | Fair | Very poor |
| Poorly drained soils | 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 322D2: Timula, eroded | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Newalbin | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-----------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 322E: | | | | | | | | | | | |
| Timula | 90 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Very poor | Good | Very poor |
| Newalbin | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 388C2: | | | | | | | | | | | |
| Seaton, valleys, eroded | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 388D2: | | | | | | | | | | | |
| Seaton, valleys, eroded | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 388E: | | | | | | | | | | | |
| Seaton, valleys | 90 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 388F: | | | | | | | | | | | |
| Seaton, valleys | 90 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 401B: | | | | | | | | | | | |
| Mt. Carroll | 85 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 401C: | | | | | | | | | | | |
| Mt. Carroll | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 401D: | | | | | | | | | | | |
| Mt. Carroll | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 455A: | | | | | | | | | | | |
| Festina | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|------------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 455A: | | | | | | | | | | | |
| Walford | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Walford Variant | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 455B: | | | | | | | | | | | |
| Festina | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Walford | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Walford Variant | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 455C2: | | | | | | | | | | | |
| Festina, eroded | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| 457E: | | | | | | | | | | | |
| Lacrescent | 85 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 457G: | | | | | | | | | | | |
| Lacrescent | 85 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 463: | | | | | | | | | | | |
| Minneiska, occasionally flooded | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Kalmarville | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Moundprairie | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|----------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 471: Root, frequently flooded | 90 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| 476B: Frankville | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 476C2: Frankville, eroded | 90 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 476D: Frankville | 90 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 477: Littleton | 85 | Fair | Good | Good | Good | Good | Fair | Poor | Good | Good | Poor |
| Walford Variant | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 484D: Eyota | 85 | Fair | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 488G: Brodale, rocky | 85 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Poor | Poor | Very poor |
| 492B: Nasset | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 492C: Nasset | 85 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 500C2: Edmund, eroded | 85 | Fair | Good | Good | Fair | Fair | Very poor | Very poor | Good | Fair | Very poor |
| 500D2: Edmund, eroded | 90 | Poor | Fair | Good | Fair | Fair | Very poor | Very poor | Fair | Fair | Very poor |
| 518: Kalmarville, occasionally flooded | 85 | Good | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| 522: Boots, frequently flooded, ponded | 85 | Good | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| 576: Newalbin, occasionally flooded | 90 | Fair | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| 577: Newalbin, channeled, occasionally flooded | 90 | Poor | Poor | Fair | Fair | Fair | Good | Good | Poor | Fair | Good |
| 578: Newalbin, depressional, occasionally flood, ponded | 90 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Very poor | Very poor | Good |
| 580B: Blackhammer | 45 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 580B: Southridge | 30 | Good | Good | Good | Good | Good | Poor | Very poor | Good | Good | Very poor |
| 580C2: Blackhammer, eroded | 45 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Southridge, eroded | 30 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 580D2: Blackhammer, eroded | 45 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Southridge, eroded | 35 | Poor | Good | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 584F: Lamoille | 55 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Poor | Fair | Very poor |
| Dorerton | 35 | Very poor | Poor | Fair | Fair | Fair | Very poor | Very poor | Poor | Fair | Very poor |
| 585C: Newhouse | 60 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Valton | 35 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 585D: Newhouse | 45 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Valton | 35 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|-------------------------------------|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| | | | | | | | | | | | |
| 586C2: | | | | | | | | | | | |
| Nodine, eroded | 45 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Rollingstone, eroded | 40 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 586D2: | | | | | | | | | | | |
| Nodine, eroded | 55 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| Rollingstone, eroded | 35 | Poor | Good | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 592E: | | | | | | | | | | | |
| Lamoille | 60 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| Elbaville | 25 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 593F: | | | | | | | | | | | |
| Elbaville | 90 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 598B: | | | | | | | | | | | |
| Beavercreek, very rarely flooded | 70 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Fair | Very poor |
| Arenzville, very rarely flooded | 20 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Root | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 599E2: | | | | | | | | | | | |
| Norden, eroded | 85 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 599F: Norden | 85 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 601D2: Council, eroded | 90 | Fair | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 601E: Council | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 604: Huntsville, channeled, occasionally flooded | 65 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Beavercreek, channeled, frequently flooded | 20 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Fair | Very poor |
| Root | 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Newalbin | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 605D2: La Farge, eroded | 90 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Good | Very poor |
| 606: Shiloh, frequently flooded, ponded | 90 | Very poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| 608: Rawles, occasionally flooded | 85 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 608: Moundprairie | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 879B: Newalbin, frequently flooded, ponded | 65 | Poor | Poor | Poor | Poor | Poor | Good | Good | Poor | Poor | Good |
| Palms, frequently flooded, ponded | 30 | Very poor | Very poor | Very poor | Very poor | Very poor | Good | Good | Fair | Poor | Good |
| 1010: Riverwash, frequently flooded | 95 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Comfrey | 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1013: Pits, quarries | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1016: Udorthents, loamy | 100 | Poor | Poor | Fair | Good | Good | Poor | Very poor | Poor | Fair | Very poor |
| 1812: Terril, sandy substratum, occasionally flooded | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| Comfrey | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|--|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1822B: Abscota, variant, rarely flooded | 90 | Fair | Fair | Good | Fair | Fair | Poor | Very poor | Fair | Fair | Very poor |
| PD sandy soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1830: Eitzen, occasionally flooded | 85 | Good | Good | Good | Good | Fair | Poor | Poor | Good | Good | Poor |
| 1838: Colo, overwash, occasionally flooded | 90 | Good | Fair | Good | Fair | Poor | Good | Good | Fair | Fair | Good |
| 1847: Kalmarville, channeled, frequently flooded | 85 | Poor | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| 1856D: Plainfield, loamy substratum | 90 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 1856E: Plainfield, loamy substratum | 90 | Poor | Poor | Fair | Good | Good | Very poor | Very poor | Poor | Good | Very poor |
| 1857B: Eitzen, channeled, occasionally flooded | 85 | Good | Good | Good | Good | Fair | Poor | Poor | Good | Good | Poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1858F: | | | | | | | | | | | |
| Timula | 70 | Very poor | Poor | Good | Good | Good | Very poor | Very poor | Very poor | Good | Very poor |
| Lamont | 20 | Poor | Fair | Good | Good | Good | Very poor | Very poor | Fair | Fair | Very poor |
| Newalbin | 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1860: | | | | | | | | | | | |
| Comfrey, channeled, frequently flooded | 90 | Fair | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| 1861B: | | | | | | | | | | | |
| Chaseburg, channeled, frequently flooded | 90 | Poor | Good | Good | Good | Fair | Poor | Poor | Fair | Good | Poor |
| 1862: | | | | | | | | | | | |
| Zwingle, variant | 85 | Fair | Fair | Fair | Fair | Fair | Fair | Good | Fair | Fair | Fair |
| 1885: | | | | | | | | | | | |
| Abscota, occasionally flooded | 90 | Fair | Fair | Good | Good | Good | Poor | Very poor | Fair | Good | Very poor |
| PD soils | 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 1886: | | | | | | | | | | | |
| Minneiska, variant, rarely flooded | 90 | Good | Good | Good | Good | Good | Poor | Poor | Good | Fair | Poor |

Wildlife Habitat (MN)

Houston County, Minnesota

| Map symbol and soil name | Pct. of map unit | Potential for habitat elements | | | | | | | Potential as habitat for-- | | |
|---|---------------------|--------------------------------|---------------------------|-----------------------------------|------------------------|--------------------------|-------------------|---------------------------|--------------------------------|--------------------------------|--------------------------|
| | | Grain and seed crops | Grasses and legumes | Wild herba- ceous plants | Hard- wood trees | Conif- erous trees | Wetland plants | Shallow water areas | Open- land wild- life | Wood- land wild- life | Wetland wild- life |
| 1888: Moundprairie, occasionally flooded | 90 | Fair | Fair | Fair | Fair | Fair | Good | Good | Fair | Fair | Good |
| 1889: Moundprairie, depressional, occasionally flooded | 90 | Very poor | Very poor | Poor | Poor | Poor | Good | Good | Very poor | Poor | Good |
| 1890: Walford | 90 | Fair | Fair | Fair | Poor | Poor | Good | Good | Fair | Poor | Good |
| 1893C: Beavercreek, variant, very rarely flooded | 90 | Good | Good | Good | Good | Good | Very poor | Very poor | Good | Good | Very poor |
| 1898F: Etter, rocky | 60 | Poor | Fair | Fair | Fair | Good | Very poor | Very poor | Good | Poor | Very poor |
| Brodale, rocky | 25 | Poor | Fair | Fair | Fair | Fair | Very poor | Very poor | Poor | Poor | Very poor |
| 1906D: Lindstrom | 90 | Poor | Fair | Good | Good | Good | Poor | Poor | Good | Good | Poor |
| M-W: Water, miscellaneous | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| W: Water | 100 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |